

**AD 2. AERODROMES****OISR AD 2.1 AERODROME LOCATION INDICATOR AND NAME**  
**OISR - LAMERD / Secondary International Aerodrome****OISR AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA**

1	<i>ARP coordinates and site at AD</i>	272223N 0531117E
2	<i>Direction and distance from (city)</i>	NE, 2 NM from Lamerd
3	<i>Elevation / Reference temperature</i>	1336 FT / Information not available
4	<i>MAG VAR / Annual change</i>	2° E (1997) / Information not available
5	<i>AD Administration, address, telephone, telefax, telex, AFS</i>	Iran Airports & Air Navigation Company (IAC) Lamerd Airport P.O.Box: 74341 - 137 Lamerd, Islamic Republic of Iran Tel: +9871 – 52720093-4 Telefax: +9871 - 52722595 Telex: NIL AFS: OISRYDYX
6	<i>Types of traffic permitted (IFR/VFR)</i>	IFR/VFR
7	<i>Remarks</i>	NIL

**OISR AD 2.3 OPERATIONAL HOURS**

1	<i>AD Administration</i>	SAT to THU 0330-1030
2	<i>Customs and immigration</i>	O/R
3	<i>Health and sanitation</i>	O/R
4	<i>AIS Briefing Office</i>	NIL
5	<i>ATS Reporting Office (ARO)</i>	Service available by ATS
6	<i>MET Briefing Office</i>	NIL
7	<i>ATS</i>	O/R
8	<i>Fuelling</i>	HJ
9	<i>Handling</i>	Available during main carrier schedule flights, other times O/R
10	<i>Security</i>	H24
11	<i>De-icing</i>	NIL
12	<i>Remarks</i>	PPR at least 72 HR before EOBT from OISR

**OISR AD 2.4 HANDLING SERVICES AND FACILITIES**

1	<i>Cargo - handling facilities</i>	Available by main carrier
2	<i>Fuel / oil types</i>	Jet A1
3	<i>Fuelling facilities/capacity</i>	2 trucks, 20000 litres, 20 litres/sec, No limitation
4	<i>De - icing facilities</i>	NIL
5	<i>Hanger space for visiting aircraft</i>	NIL
6	<i>Repair facilities for visiting aircraft</i>	NIL
7	<i>Remarks</i>	NIL

**OISR AD 2.5 PASSENGER FACILITIES**

1	<i>Hotels</i>	Available in the city
2	<i>Restaurants</i>	Available in the city
3	<i>Transportation</i>	Taxis
4	<i>Medical facilities</i>	Hospital in the city
5	<i>Bank and Post Office</i>	Available in the city
6	<i>Tourist Office</i>	Available in the city
7	<i>Remarks</i>	NIL

**OISR AD 2.6 RESCUE AND FIRE FIGHTING SERVICES**

1	<i>AD category for fire fighting</i>	CAT 2
2	<i>Rescue equipment</i>	Available in accordance with AD category for fire fighting
3	<i>Capability for removal of disabled aircraft</i>	NIL
4	<i>Remarks</i>	CAT 5 for scheduled flights and those non- scheduled flights which get prior permission from Lamerd AD.

**OISR AD 2.7 SEASONAL AVAILABILITY - CLEARING**

All seasons / Not applicable

**OISR AD 2.8 APRONS, TAXIWAYS**

1	<i>Apron surface and strength</i>	Surface: Asphalt Strength: Information not available
2	<i>Taxiway width, surface and strength</i>	Width: 23 M Surface: Asphalt Strength: Information not available
3	<i>Remarks</i>	Apron dimension: 70 x 160 x 100 x 160M, Area: 14206M <sup>2</sup>

**OISR AD 2.9 SURFACE MOVEMENT GUIDANCE AND  
CONTROL SYSTEM AND MARKINGS**

1	<i>Use of aircraft stand ID signs, TWY guide lines and parking guidance system of aircraft stands</i>	NIL
2	<i>RWY and TWY markings and LGT</i>	RWY: Designation, THR, TDZ, centre line, edge & RWY end marked. THR, edge & RWY end lighted. TWY: Edge lighted.
3	<i>Stop bars</i>	NIL
4	<i>Remarks</i>	NIL

**OISR AD 2.10 AERODROME OBSTACLES**

<i>In approach / TKOF areas</i>			<i>In circling area and at AD</i>		<i>Remarks</i>
1			2		
<i>RWY/Area affected</i>	<i>Obstacle type Elevation/ HGT Markings/LGT</i>	<i>Coordinates</i>	<i>Obstacle type Elevation / HGT Markings/LGT</i>	<i>Coordinates</i>	
a	b	c	a	b	
29 / TKOF 11 / APCH	AD fence 9 FT AGL NIL	235M before THR of RWY 11	AD control TWR 66 FT AGL NIL	272206N 0531143E	
11 / TKOF 29 / APCH	AD fence 9 FT AGL NIL	427M before THR of RWY 29			

**OISR AD 2.11 METEOROLOGICAL INFORMATION PROVIDED**

1	<i>Associated MET Office</i>	Lamerd
2	<i>Hours of service MET Office outside hours</i>	0230 - 1430 --
9	<i>ATS units provided with information</i>	Lamerd AFIS

Note: Subject concerning item 3 to 8 and 10 not available.

**OISR AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS**

<i>Designation RWY NR</i>	<i>TRUE</i>	<i>Dimensions of RWY (M)</i>	<i>Strength (PCN) and surface of RWY and SWY</i>	<i>THR coordinates THR geoid undulation</i>	<i>THR elevation and highest elevation of TDZ of precision APP RWY</i>
1	2	3	4	5	6
11	113.99°GEO	3054 x 45	43/F/D/X/T Asphalt	272243.25N 0531027.85E GUND -80 FT	THR 1336 FT
29	294.01°GEO	3054 x 45	43/F/D/X/T Asphalt	272202.97N 0531209.59E GUND -80 FT	THR 1329 FT

  

<i>Slope of RWY - SWY</i>	<i>SWY dimensions (M)</i>	<i>CWY dimensions (M)</i>	<i>Strip dimensions (M)</i>	<i>OFZ</i>	<i>Remarks</i>
7	8	9	10	11	12
0.0 %	60 x 45	200 x 150	NIL	NIL	NIL
0.0 %	60 x 45	200 x 150	NIL	NIL	NIL

**OISR AD 2.13 DECLARED DISTANCES**

<i>RWY Designator</i>	<i>TORA (M)</i>	<i>TODA (M)</i>	<i>ASDA (M)</i>	<i>LDA (M)</i>	<i>Remarks</i>
1	2	3	4	5	6
11	3054	3254	3114	3054	NIL
29	3054	3254	3114	3054	NIL

**OISR AD 2.14 APPROACH AND RUNWAY LIGHTING**

<i>RWY Designator</i>	<i>APCH LGT type LEN INTST</i>	<i>THR LGT colour WBAR</i>	<i>VASIS (MEHT) PAPI</i>	<i>TDZ LGT LEN</i>	<i>RWY Centre Line LGT LEN, spacing, colour INTST</i>	<i>RWY edge LGT LEN, spacing colour, INTST</i>	<i>RWY End LGT colour WBAR</i>	<i>SWY LGT LEN colour</i>	<i>Remarks</i>
1	2	3	4	5	6	7	8	9	10
11	NIL	Green Supplemented by WBAR	PAPI Left/3° (15.7 M / 51.5 FT)	NIL	NIL	3054 M 60 M White, LIH	Red	Red 60M	NIL
29	SALS 420M LIH	Green Supplemented by WBAR	NIL	NIL	NIL	3054 M 60 M White, LIH	Red	Red 60M	NIL

**OISR AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY**

1	<i>ABN location, characteristics and hours of operation</i>	ABN location: on top of the aerodrome control Tower building, characteristics: FLG g and w, EV 2 sec, hours of operation: HN and during IMC,
2	<i>LDI location and LGT Anemometer location and LGT</i>	NIL
3	<i>TWY edge and centre line lighting</i>	Edge: All TWY Centre line: NIL
4	<i>Secondary power supply/switch-over time</i>	During primary power network failure, automatic secondary power supply (diesel generator) is available for all visual and non-visual navigation aids (CNS/ATM equipment) in 15 sec
5	<i>Remarks</i>	NIL

**OISR AD 2.16 HELICOPTER LANDING AREA**

NIL

**OISR AD 2.17 ATS AIRSPACE**

1	<i>Designation and lateral limits</i>	Lamerd ATZ: A circle, radius 7 NM centered at 272223N 0531117E (ARP)
2	<i>Vertical limits</i>	5500 FT AMSL
3	<i>Airspace classification</i>	G
4	<i>ATS unit call sign Language(s)</i>	Lamerd Information English / Persian
5	<i>Transition altitude</i>	8500 FT AMSL
6	<i>Remarks</i>	Transition Level: FL 105

**OISR AD 2.18 ATS COMMUNICATION FACILITIES**

<i>Service designation</i>	<i>Call sign</i>	<i>Frequency</i>	<i>Hours of operation</i>	<i>Remarks</i>
1	2	3	4	5
AFIS	Lamerd Information	122.650 MHZ 121.700 MHZ 121.500 MHZ	HS	- For ground movements Emergency Frequency

**OISR AD 2.19 RADIO NAVIGATION AND LANDING AIDS**

<i>Type of aid, CAT of ILS (For VOR/ILS, give VAR)</i>	<i>ID</i>	<i>Frequency</i>	<i>Hours of operation</i>	<i>Site of transmitting antenna coordinates</i>	<i>Elevation of DME transmitting antenna</i>	<i>Remarks</i>
1	2	3	4	5	6	7
NDB	LAM	346 KHZ	H24	272201.7N 0531142.8E		
VOR/DME (2° E)	LAM	117.000 MHZ CH 117X	H24	272222.2N 0531102.3E	1329 FT	

**OISR AD 2.20 LOCAL TRAFFIC REGULATIONS**

NIL

**OISR AD 2.21 NOISE ABATEMENT PROCEDURES**

NIL

**OISR AD 2.22 FLIGHT PROCEDURES**

Traffic pattern is defined as below:

- a. For fighter and heavy fixed-wing ACFT 3000 feet,
- b. For other fixed-wing ACFT 2500 feet and
- c. For helicopter 2000 feet.

Note: see AD 1.1.

**OISR AD 2.23 ADDITIONAL INFORMATION**

- 1- Strolling animal observed on the movement area.
- 2- Intensive bird's accumulation exists in the vicinity of AD particularly in winter period.

**OISR AD 2.24 CHARTS RELATED TO AN AERODROME**

Aerodrome Chart - ICAO . . . . .	AD 2 OISR ADC
Standard Departure Chart - Instrument - ICAO . . . . .	AD 2 OISR SID 1-1
Standard Arrival Chart - Instrument - ICAO . . . . .	AD 2 OISR STAR 1-1
	AD 2 OISR STAR 2-1
Instrument Approach Chart - ICAO . . . . .	AD 2 OISR IAC 2-1
	AD 2 OISR IAC 4-1
	AD 2 OISR IAC 4-2