

AD 2. AERODROMES**OITR AD 2.1 AERODROME LOCATION INDICATOR AND NAME****OITR - UROMIYEH / Secondary International Aerodrome****OITR AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA**

1	<i>ARP coordinates and site at AD</i>	374017N 0450409E
2	<i>Direction and distance from (city)</i>	N, 7 NM from Uromiyeh
3	<i>Elevation / Reference temperature</i>	4342 FT / 31° C
4	<i>MAG VAR / Annual change</i>	5° E (2014) / Information not available
5	<i>AD Administration, address, telephone, telefax, telex, AFS</i>	Iran Airports & Air Navigation Company (IAC) Uromiyeh Airport P.O.Box: 173 Postal Code: 5737155111 Uromiyeh, Islamic Republic of Iran Tel: +9844 – 32777766-9, 32787717, 32787859,32787719,32777770 Telefax: +9844 – 32770029 Telex: NIL AFS: OITRYDYX
6	<i>Types of traffic permitted (IFR/VFR)</i>	IFR/VFR
7	<i>Remarks</i>	Website: http://uromieh.airport.ir/

OITR AD 2.3 OPERATIONAL HOURS

1	<i>AD Administration</i>	0330-1130
2	<i>Customs and immigration</i>	O/R
3	<i>Health and sanitation</i>	O/R
4	<i>AIS Briefing Office</i>	NIL
5	<i>ATS Reporting Office (ARO)</i>	Service available by ATS
6	<i>MET Briefing Office</i>	NIL
7	<i>ATS</i>	0330-1830
8	<i>Fuelling</i>	0330 - 1530
9	<i>Handling</i>	Available during schedule flights
10	<i>Security</i>	H24
11	<i>De-icing</i>	Available during schedule flights (it will be done at north of apron).
12	<i>Remarks</i>	Other times O/R & PPR at least 72 HR before EOBT from OITR

OITR AD 2.4 HANDLING SERVICES AND FACILITIES

1	<i>Cargo - handling facilities</i>	Available by main carrier
2	<i>Fuel / oil types</i>	Jet A1
3	<i>Fuelling facilities/capacity</i>	Jet A1: 2 trucks, 20000 litres, 20 litres/sec, No limitation.
4	<i>De - icing facilities</i>	Available during main carrier (FMC-CO / DTU TM 1800)
5	<i>Hanger space for visiting aircraft</i>	NIL
6	<i>Repair facilities for visiting aircraft</i>	NIL
7	<i>Remarks</i>	NIL

OITR AD 2.5 PASSENGER FACILITIES

1	<i>Hotels</i>	Available in the city
2	<i>Restaurants</i>	Available in the city
3	<i>Transportation</i>	Taxis and buses
4	<i>Medical facilities</i>	First aids at AD and Hospital in the city
5	<i>Bank and Post Office</i>	Bank Available at AD and post office Available in the city
6	<i>Tourist Office</i>	Available in the city
7	<i>Remarks</i>	NIL

OITR AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	<i>AD category for fire fighting</i>	CAT 7
2	<i>Rescue equipment</i>	Available in accordance with AD category for fire fighting.
3	<i>Capability for removal of disabled aircraft</i>	Tow car available for light aircraft
4	<i>Remarks</i>	NIL

OITR AD 2.7 SEASONAL AVAILABILITY - CLEARING

1	<i>Types of clearing equipment</i>	3 Snow ploughs, 1 snow blower, 1 urea spreader and 1 tractor
2	<i>Clearance priorities</i>	1- Firefighting service road 2- RWY 21/03 3- TWY A 4- Apron 5- TWY B 6- Service road
3	<i>Remarks</i>	NIL

OITR AD 2.8 APRONS, TAXIWAYS

1	<i>Apron surface and strength</i>	Surface: Asphalt Strength: Information not available Dimension: 520 x 152M
2	<i>Taxiway width, surface and strength</i>	Width: 23M Surface: Asphalt Strength: Information not available
3	<i>Remarks</i>	NIL

**OITR AD 2.9 SURFACE MOVEMENT GUIDANCE AND
CONTROL SYSTEM AND MARKINGS**

1	<i>Use of aircraft stand ID signs, TWY guide lines and parking guidance system of aircraft stands</i>	NIL
2	<i>RWY and TWY markings and LGT</i>	RWY: Designation, THR, TDZ, centre line, edge & RWY end marked. RWY Lighting: See OITR AD 2.14 below TWY: Centre line marked. TWY Lighting: See OITR AD 2.15 below
3	<i>Stop bars</i>	NIL
4	<i>Remarks</i>	NIL

OITR AD 2.10 AERODROME OBSTACLES

<i>In approach / TKOF areas</i>			<i>In circling area and at AD</i>		<i>Remarks</i>
1			2		
<i>RWY/Area affected</i>	<i>Obstacle type Elevation/HGT Markings/LGT</i>	<i>Coordinates</i>	<i>Obstacle type Elevation/HGT Markings/LGT</i>	<i>Coordinates</i>	3
a	b	c	a	b	
03 / TKOF 21 / APCH	VOR/DME antenna 4305 FT AMSL LGTD	374114.0N 0450503.7E	NDB Antenna 4434 FT AMSL NIL Water Tank 4393 FT AMSL NIL Mast 4517 FT AMSL NIL Mast 4421 FT AMSL NIL Tower Building 4438 FT AMSL NIL GP Antenna 4305 FT AMSL NIL	374001.4N 0450343.1E 373909N 0450309E 373913N 0450245E 373933N 0450325E 373951N 0450339E 374043.9N 0450432.9E	

In approach / TKOF areas			In circling area and at AD		Remarks
1			2		3
RWY/Area affected	Obstacle type Elevation/HGT Markings/LGT	Coordinates	Obstacle type Elevation/HGT Markings/LGT	Coordinates	
a	b	c	a	b	
		→	LLZ Antenna 4355 FT AMSL -	373912.6N 0450324.4E	
		→	LLZ Cabin 4360 FT AMSL -	373914N 0450322E	
		→	Mast 4371 FT AMSL -	373931N 0450334E	Wind sensor RWY03
		→	Mast 4308 FT AMSL -	374042N 0450431E	Wind sensor RWY21
		→	Antenna 4290 FT	374046N 0450435E	GP Monitor

OITR AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	Associated MET Office	Uromiyeh
2	Hours of service MET Office outside hours	H24 --
9	ATS units provided with information	Uromiyeh TWR

Note: Subject concerning item 3 to 8 and 10 not available.

OITR AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations RWY NR	TRUE BRG	Dimensions of RWY (M)	Strength(PCN) and surface of RWY and SWY	THR Coordinates THR geoid undulation	THR elevation and highest elevation of TDZ of precision APP RWY
1	2	3	4	5	6
03	033.02°GEO	3252 x 45	58/F/C/X/T Asphalt	373921.03N 0450331.21E GUND +65FT	THR 4342 FT
21	213.04°GEO	3252 x 45	58/F/C/X/T Asphalt	374049.45N 0450443.55E GUND +65FT	THR 4274 FT
Slope of RWY - SWY	SWY Dimensions (M)	CWY Dimensions (M)	Strip Dimensions (M)	OFZ	Remarks
7	8	9	10	11	12
0.6 %	47 x 45	47 x150	NIL	NIL	
0.6 %	101 x 45	101 x150	NIL	NIL	

OITR AD 2.13 DECLARED DISTANCES

<i>RWY Designator</i>	<i>TORA (M)</i>	<i>TODA (M)</i>	<i>ASDA (M)</i>	<i>LDA (M)</i>	<i>Remarks</i>
1	2	3	4	5	6
03	3252	3299	3299	3252	NIL
21	3252	3353	3353	3252	NIL

OITR AD 2.14 APPROACH AND RUNWAY LIGHTING

<i>RWY Designator</i>	<i>APCH LGT Type LEN INTST</i>	<i>THR LGT colour WBAR</i>	<i>VASIS (MEHT) PAPI</i>	<i>TDZ LGT LEN</i>	<i>RWY Centre Line LGT LEN, spacing, Colour INTST</i>	<i>RWY edge LGT LEN, Spacing colour, INTST</i>	<i>RWY End LGT Colour WBAR</i>	<i>SWY LGT LEN colour</i>	<i>Remarks</i>
1	2	3	4	5	6	7	8	9	10
03	SALS 300M LIH	Green	PAPI Left /3° (17.5 M / 57.4 FT)	NIL	NIL	3252 M 60 M White, LIH	Red	NIL	NIL
21	PALS (CAT I) 813M LIH	Green Supplemented by WBAR	PAPI Left /3° (17.5 M / 57.4 FT)	NIL	NIL	3252 M 60 M White, LIH	Red	101M Red	Sequential Flash Lighting System (SFLS) available for RWY 21 813M Two flashes per second

OITR AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	<i>ABN location, characteristics and hours of operation</i>	At top of the new control tower building, FLG G and W, 30 flashes per minute. HN and during IMC.
2	<i>LDI location and LGT Anemometer location and LGT</i>	NIL
3	<i>TWY edge and centre line lighting</i>	Edge: TWY A and B Centre line: NIL
4	<i>Secondary power supply/switch-over time</i>	Available Switch-over time: 10 - 15 sec
5	<i>Remarks</i>	NIL

OITR AD 2.16 HELICOPTER LANDING AREA

NIL

OITR AD 2.17 ATS AIRSPACE

1	<i>Designation and lateral limits</i>	Uromiyeh CTR: A circle, radius 20 NM centered at 374114.0N 0450503.7E (VOR/DME)	Uromiyeh ATZ: A circle, radius 7 NM centered at 374017N 0450409E (ARP)
2	<i>Vertical limits</i>	FL 155	7500 FT AMSL
3	<i>Airspace classification</i>	D	
4	<i>ATS unit call sign Language(s)</i>	Uromiyeh TWR English / Persian	
5	<i>Transition altitude</i>	10000 FT AMSL	
6	<i>Remarks</i>	NIL	

OITR AD 2.18 ATS COMMUNICATION FACILITIES

<i>Service designation</i>	<i>Call sign</i>	<i>Frequency</i>	<i>Hours of operation</i>	<i>Remarks</i>
1	2	3	4	5
TWR	Uromiyeh Tower	118.250 MHZ 121.900 MHZ 121.500 MHZ 385.400 MHZ	0330-1830 0330-1830 0330-1830 O/R	Emergency frequency Military aircraft
ATIS (INFO)	Uromiyeh Information	127.250 MHZ	0330-1830	

OITR AD 2.19 RADIO NAVIGATION AND LANDING AIDS

<i>Type of aid, CAT of ILS (For VOR/ILS, give VAR)</i>	<i>ID</i>	<i>Frequency</i>	<i>Hours Of operation</i>	<i>Site of Transmitting Antenna coordinates</i>	<i>Elevation of DME Transmitting antenna</i>	<i>Remarks</i>
1	2	3	4	5	6	7
NDB	UMH	370 KHZ	H24	374001.4N 0450343.1E		
DVOR/DME (5° E, 2014)	UMH	113.500 MHZ CH 82X	H24	374114.0N 0450503.7E	4265 FT	
LOC 21 ILS CAT I (5° E, 2014)	IUMH	108.900 MHZ	H24	373912.5N 0450324.3E		
ILS GP RWY 21		329.300 MHZ	H24	374043.8N 0450433.1E		3° RDH 53 FT
ILS DME RWY 21	IUMH	CH 26X	H24	374043.8N 0450433.1E	4275 FT	
VOR unusable in the following areas: 100° - 130°, beyond 8 NM BLW FL 125 150° - 180°, beyond 20 NM BLW FL 85 345° - 360°, beyond 30 NM BLW FL 100.						

OITR AD 2.20 LOCAL TRAFFIC REGULATIONS

NIL

OITR AD 2.21 NOISE ABATEMENT PROCEDURES

NIL

OITR AD 2.22 FLIGHT PROCEDURES

NIL

Traffic pattern is defined as below:

- For fighter and heavy fixed-wing ACFT 6000 feet,
- For other fixed-wing ACFT 5500 feet and
- For helicopter 5000 feet.

Note: see AD 1.1.

OITR AD 2.23 ADDITIONAL INFORMATION

- Strolling dogs exist on the movement area.
- Intensive birds' accumulation exists in the vicinity of AD.
- Anti-icing & De-icing area located at 95 M south of Aerodrome Control Tower on stand 106.
- Heavy and medium aircraft are permitted to make 180° turn only at the end of RWY in use.
- Isolated aircraft parking position is located at TWY B.

OITR AD 2.24 CHARTS RELATED TO AN AERODROME

Aerodrome Chart – ICAO.....	AD 2 OITR ADC
Standard Departure Chart - Instrument – ICAO	AD 2 OITR SID 1-1
	AD 2 OITR SID 1-2
	AD 2 OITR SID 1-3
	→ AD 2 OITR SID 1-4
	AD 2 OITR SID 2-1
	AD 2 OITR SID 2-2
	AD 2 OITR SID 2-3
Standard Arrival Chart - Instrument – ICAO.....	AD 2 OITR STAR 1-1
	AD 2 OITR STAR 1-2
	AD 2 OITR STAR 1-3
	AD 2 OITR STAR 2-1
Instrument Approach Chart - ICAO	AD 2 OITR IAC 1-1
	AD 2 OITR IAC 1-2
	AD 2 OITR IAC 1-3
	AD 2 OITR IAC 2-1
	AD 2 OITR IAC 2-2
	AD 2 OITR IAC 3-1
	AD 2 OITR IAC 4-1
	AD 2 OITR IAC 4-2